

MUNICIPAL CORPORATION OF GREATER MUMBAI

MUMBAI FIRE BRIGADE

No: FB17/02/991

Date: 25.11.19

SUB: - Requirements for development of Film shooting permission in online system by State Government of Maharashtra.

Ref: 1) Meeting held on 19.07.2019 with officials from State Government of Maharashtra

2) Email Recd. on 02.11.2019 from B.D.D.

As per above reference subject, this department has prepared the policy regarding issue of fire safety requirements for Film shooting permission in online system. For formulating the policy regarding issue of fire safety requirements for Film shooting permission, the following officers were present.

01. Dy.CFO H. D. Parab
02. D.F.O. A. V. Parab
03. A.D.F.O. R. D. Bhor
04. S.O. R. B. Nikam


In this case State Government of Maharashtra, requested this department to have the policy regarding issue of fire safety requirements for Film shooting permission in online system. Accordingly policy for the same is formulated wherein it has been decided that permission for film shooting shall be issued to the applicant on the basis of submitting Indemnity Bond along with application, **which shall be mandatory & it shall be the liability of the Applicant to comply all Codified Fire Safety requirements before commissioning of the shooting.** The format of i) Indemnity bond ii) Codified fire safety requirements iii) necessity of Fire Engine as per risk analysis and iv) Schedule fees for keeping fire engine on the shooting site wherever required which are attached herewith.

Requesting for approval please.

  
(H. D. Parab)

Dy. Chief Fire Officer

Chief Fire Officer







**MUNICIPAL CORPORATION OF GREATER MUMBAI**  
**MUMBAI FIRE BRIGADE**

No: FBH/OP/2599

Date: 25.11.2019

SUB: - Requirements for development of Film shooting permission in online system by State Government of Maharashtra.

Ref: Meeting held on 19.07.2019 with officials from State Government of Maharashtra

→ Email Recd. on 02.11.2019 from B.D.D.

As per above reference subject, this department has prepared the policy regarding issue of fire safety requirements for Film shooting permission in online system. For formulating the policy regarding issue of fire safety requirements for Film shooting permission, the following officers were present.

01. Dy.CFO H. D. Parab
02. D.F.O. A. V. Parab
03. A.D.F.O. R. D. Bhor
04. S.O. R. B. Nikam


In this case State Government of Maharashtra, requested this department to have the policy regarding issue of fire safety requirements for Film shooting permission in online system. Accordingly policy for the same is formulated wherein it has been decided that permission for film shooting shall be issued to the applicant on the basis of submitting Indemnity Bond along with application, **which shall be mandatory & it shall be the liability of the Applicant to comply all Codified Fire Safety requirements before commissioning of the shooting.** The format of i) Indemnity bond ii) Codified fire safety requirements iii) necessity of Fire Engine as per risk analysis and iv) Schedule fees for keeping fire engine on the shooting site wherever required which are attached herewith.

Requesting for approval please.

  
(H. D. Parab)

Dy. Chief Fire Officer

Chief Fire Officer



**CODIFIED REQUIREMENTS FOR FILM SHOOTING:**

**A] In cases where any temporary structure is proposed:**

1. Approach road, internal passage, entrance gate, open space shall be kept free from any obstructions.
2. There shall be a clear space of 4.5 m on all sides between the structure and the adjacent buildings or other structures. In cases where temporary structures are erected in the lawns which are part of residential premises, the entire frontage shall be kept open.
3. No temporary structure shall be erected beneath and adjacent to any live electrical line. The gap between the live wires and any part of the structure shall in no case be less than 02 mts.
4. No temporary structure shall be erected near furnace, railway line, electrical sub-station, chimney or under high tension wire or like hazard unless a safety distance of 15 m is maintained.
5. All temporary structures shall be approachable and the gate provided if any shall have a clear opening of not less than 4.5 m. Arch way shall not be at a height less than 4.5 m from the ground level.
6. The temporary structure shall be approachable to fire engine. No part of temporary structures shall be more than 45 m away from the motorable road.
7. Temporary Set erected if any shall be of sound construction and nothing shall be stored near the set.
8. Carpet if provided shall be properly secured to the ground, and shall be of fire retardant material.
9. The materials for such constructions shall preferably be of non-combustible or fire resistant type. The materials used for the decor shall be such that it shall not generate toxic smoke/fumes. Wherever materials of combustible nature are used these shall be treated with a fire retardant material/paint & the certificate to that effect shall be obtained.
10. The entire electric wiring shall be laid as per prevailing Electricity Act & Rules & the compliance certificate to that effect shall be submitted from Govt. Approved electrical Inspector to Sr. Inspector of license before starting the activity.
11. No part of electrical circuit, bulbs, tube lights, etc, in the structure of pandal shall be within 15 cm of any decorative or other combustible material.
12. In case incandescent gas portable lights instead of electricity are used in the structure, such lights shall not be hung from the ceilings of the main structure or pandal but shall be placed on separate stands securely fixed.
13. The ground enclosed by any temporary structure, pandal, tent or sharmiana, a distance of not less than 4.5 m outside of such structure shall be cleared of all combustible materials or vegetation and any materials obstructing the movement. Storage of combustible materials like paper shavings, straw, flammable and explosive chemicals and similar materials shall not be permitted to be stored inside any temporary structure.

14. No fire works or open flame of any kind shall be permitted in any temporary structure or in the immediate vicinity.
15. Smoking, cooking, heating and use of naked flame and display of Fire Crackers in and around the temporary structure shall be strictly prohibited. Storage of any combustible, flammable and hazardous material, etc. shall not be done near the area.
16. Owner/Occupier must appoint Fire Marshal / Fire warden /fire safety officer for every 100 persons from amongst his employees who is acquainted with evacuation procedure and trained to use fire fighting equipments provided on the site. He should have designated uniform such as fluorescent jacket / Arm band, cap & badge easily identifiable by citizen/users. He should also possess a whistle to alert customers/guest in case of emergency. Owner/Occupier must ensure that Fire Marshal / Fire warden /fire safety officer is present all the time during working hours.
17. A responsible person shall always be made available at the site of the temporary structure to organize prompt evacuation, fire fighting to deal with emergencies at the incipient stage and informing the fire service.
18. Water Provision at the site in the form of drums/barrels/buckets shall be made as per I. S. Code 8758: 2013.

**19. FIRE FIGHTING ARRANGEMENTS:-**

**1. For area up to 500 sq. mtrs.**

- a) Two Nos. of Water type extinguisher of 9 litres capacity & One ABC Dry Powder extinguisher of 9 kgs capacity, per 100 m<sup>2</sup> of floor space shall be provided & evenly distributed in the temporary structures.
- b) For protection of electrical installation, One carbon dioxide or ABC Dry Powder extinguisher of adequate size shall be provided for each switch gear, main meter.

The location of these equipments shall be such that these are easily accessible in the event of a fire. Particular attention shall be paid to ensure that the means of escape and gangways, exits, etc are not obstructed in any way and all buckets and extinguishers are easily visible and accessible before public is admitted at any time.

**2. For area more than 500 sq. mtrs. And upto 1000 sq. mtrs.**

In addition to the Fire Fighting Arrangement 1-a & 1-b above;

If the area of the temporary constructions is 500 sq.mtrs. to 1000 sq.mtrs. and/or the number of persons/visitors/spectators is more than 1000 persons and less than 2500 persons then **One Fire engine along with requisite staff** shall be kept for standby duty well in advance after payment of necessary scheduled Fees.

**3. For area more than 1000 sq. mtrs.**

In addition to the Fire Fighting Arrangement 1-a & 1-b above;

If the area of the temporary constructions is more than 1001 sq.mtrs. and/or the number of persons/visitors/spectators is more than 2500 persons then **Two Fire engines along with requisite staff** shall be kept for standby duty well in advance after payment of necessary scheduled Fees.

**B] In cases where Film shooting is proposed in any Building / permanent structure:**

1. Approach road, internal passage, entrance gate, open space shall be kept free from any obstructions.
2. No temporary structure shall be erected beneath and adjacent to any live electrical line. The gap between the live wires and any part of the structure shall in no case be less than 2 mtrs.
3. No temporary structure shall be erected near furnace, railway line, electrical sub-station, chimney or under high tension wire or like hazard unless a safety distance of 15 m is maintained.
4. The shooting premise shall be approachable to fire engine. No part of temporary structures shall be more than 45 m away from the motorable road.
5. Carpet if provided in shooting premise shall be properly secured to the ground, and shall be of fire retardant material.
6. The materials used in shooting premise shall preferably be of non-combustible or fire resistant type. The materials used for the decor shall be such that it shall not generate toxic smoke/fumes. Wherever materials of combustible nature are used these shall be treated with a fire retardant material/paint & the certificate to that effect shall be obtained from supplier.
7. The entire electric wiring shall be laid as per prevailing Electricity Act & Rules & the compliance certificate to that effect shall be submitted from Govt. Approved electrical Inspector to Sr. Inspector of license before starting the activity.
8. No part of electrical circuit, bulbs, tube lights etc. in the shooting premise shall be within 15 cm. of any decorative or other combustible material.
9. In case incandescent gas portable lights instead of electricity are used in the structure, such lights shall not be hung from the ceilings of the main structure or pandal but shall be placed on separate stands securely fixed.
10. The ground enclosed by any temporary structure, a distance of not less than 4.5 m outside of such structure shall be cleared of all combustible materials or vegetation and any materials obstructing the movement.
11. Storage of combustible materials like paper shavings, straw, flammable and explosive chemicals and similar materials shall not be permitted to be stored inside any temporary structure.
12. Smoking, cooking, heating and use of naked flame and display of Fire Crackers in and around the temporary structure shall be strictly prohibited. Storage of any combustible/flammable item, hazardous material, etc. is also prohibited.
13. Owner/Occupier must appoint Fire Marshal / Fire warden /fire safety officer for every 100 persons from amongst his employees who is acquainted with evacuation procedure and trained to use fire fighting equipments provided on the site. He should have designated uniform such as fluorescent jacket / Arm band, cap & badge easily identifiable by citizen/users. He should also possess a whistle to alert customers/guest in case of emergency. Owner/Occupier must ensure that Fire Marshal / Fire warden /fire safety officer is present all the time during working hours.
14. A responsible person shall always be made available at the site of the temporary structure to organize prompt evacuation, fire fighting to deal with emergencies at the incipient stage and informing the fire service.
15. Water Provision at the site in the form of drums/barrels/buckets shall be made as per I.S. Code 8758: 2013.
16. 'Form-B' for the good maintenance of existing Fire-prevention & fire-protection measures existing on the premises, from the Licensed Agency appointed by Maharashtra Fire Service, shall be obtained before commencement of the activity.

17. The compliance of the Fire safety measures/ requirements which is mandatory from fire safety point of view, shall indemnify and in case of default, the user is liable for prosecution.
18. Four Nos. of Water type extinguisher, 9 litres capacity, per 100 m<sup>2</sup> of floor space shall be provided near structure, evenly distributed.
19. For protection of electrical installation, One Nos. of carbon dioxide or ABC Dry Powder extinguisher of adequate size shall be provided for each meter cabin.

**C] In cases where any Helipad shooting is proposed:-**

1. Approach road and surrounding area shall be kept free from obstructions.
2. No barricade/ obstruction of any kind shall be erected in the approach road and surrounding area.
3. The location of the Helicopter / Chopper landing to be at least 50 mtrs away from the any kind of structure.
4. The Helicopter / Chopper landing area shall be cordoned off to prevent entry of unauthorized person.
5. "NO SMOKING" boards shall be displayed at the at prominent places.
6. Due care shall be taken by the organizer that the premises is not overcrowded and sufficient no. of volunteers shall be deputed who can take charge of the situation and implement safe evacuation of the premises in case of emergency.
7. Necessary permission from Commissioner of Police, DGCA (ATC) & competent authorities shall also be obtained.
8. Open space around the premises shall be constructed which could bear the minimum weight of 28 M. ton. i.e. weight of normal fire engine which can easily approach the site at the time of emergency.
9. **One fire engine along with requisite staff on advance payment of necessary charges as per schedule of fees shall be posted standby at the site.**
10. **After payment of necessary hire charges party should confirm about fire engine one day in advance with the officer on duty at the fire brigade control room telephone nos. 022-23083240 / 022-23076111 / 2 / 3.**
11. Six drums of 200 ltrs. Capacity each, filled with clean water, coupled with water buckets shall be kept at an easy accessible place.
12. Two trolleys mounted CO2 type fire extinguishers having 22.5 kgs. capacity, eight Dry Chemical Powder type fire extinguishers each having capacity 9 kgs with BIS mark and 10 buckets filled with dry clean sand shall be kept on the premises at an easily accessible place.

#### **D. CODIFIED REQUIREMENTS FOR BLASTING ACTIVITY (Using explosive) DURING FILM-SHOOTING:-**

- 1) No blasting operation shall be carried out after sunset and before sunrise.
- 2) No any kind of explosive shall be stored on site or nearby area.
- 3) On the blasting day/s occasional minimum requirements of explosive shall be brought in explosive van from magazine to blasting area/site, after the blasting operation is over the balance explosive if any shall be returned to magazine before sunset.
- 4) The blasting operation shall be carried out by approved Blast-Operator/Blaster holding valid permit/license.
- 5) The thick wire mesh shall be provided around blasting site to prevent flying stone damage to other property or injury to lives.
- 6) Spacing, burdening shall be reduced for low intensity blast.
- 7) Not more than five numbers of holes shall be used for blasting purpose at a time.
- 8) The blasting operation shall be carried out by maintaining minimum distance of 200 metres from any other structure/occupied premise.
- 9) The procedure laid down by the Explosive department as per Explosive Act/Rules of 1983 from 144 to153 of part VI or prevailing Explosive Act/Rules shall be strictly complied with and followed while carrying out the blasting operation.
- 10) The party shall see that all the persons in the vicinity having taken proper shelter and shall also take suitable steps to prevent any person approaching the blasting area.
- 11) The party shall see that the blasting expert is present during the blasting operation and the operation shall be conducted under his supervision only.
- 12) The person entrusted with supervision of blasting operation shall possess a certificate of competence from competent licensing authority.
- 13) No loose objects are permitted to keep around the blasting area.
- 14) In case of the mis-fire only expert shall approach with proper protection.
- 15) The approach roads shall be kept free from obstructions for access of emergency appliances.
- 16) The necessary permission shall be obtained from The Commissioner of Police, Explosive Department and the concerned Ward Authority.
- 17) The other regulation as per the Explosive Act/Rules, applicable for the blasting activity shall be strictly adhered to.
- 18) Owner/Occupier must appoint Fire Marshal / Fire warden /fire safety officer for every 100 persons from amongst his employees who is acquainted with evacuation procedure and trained to use fire fighting equipments provided on the site . He should have designated uniform such as fluorescent jacket / Arm band, cap & badge easily identifiable by citizen/users. He should also

possess a whistle to alert customers/guest in case of emergency. Owner/Occupier must ensure that Fire Marshal / Fire warden /fire safety officer is present all the time during working hours.

19) At least squad of four persons, on site shall be trained in identification, use and operation of the Fire-extinguishers. This squad shall remain present during blasting operation.

20) Four Water CO<sub>2</sub>-pressurised type fire extinguishers of 09 liters capacity each having BIS certification mark along with four buckets of dry sand shall be kept near the blasting area.

21) **One Fire engine along with requisite staff** shall be kept for standby duty well in advance after payment of necessary scheduled Fees.

#### **E. CODIFIED FIRE SAFETY REQUIREMENTS FOR CAR-BLASTING ACTIVITY DURING FILM-SHOOTING:-**

1. Approach roads and surrounding area shall be kept unobstructed.
2. No barricade/obstructions of any kind shall be erected in the approach road and surrounding area.
3. The location of the car-blast shall be atleast 10 mtrs away from the any kind of structure.
4. The car blast area shall be cordoned-off to prevent entry of unauthorized person.
5. No any kind of explosive shall be used for blasting.
6. The use of Petrol fuel for Car-blasting purpose shall be restricted to 2.5 litres only.
7. The use of any other explosive is strictly prohibited on the premises.
8. The expert person shall be allowed to blast the car.
9. Necessary permission shall be obtained for car-blasting from other concerned departments.
10. On lookers shall be allowed to watch the display from outside the cordoned off area only.
11. **NO SMOKING** boards shall be displayed at the main entrance as well as at prominent places.
12. Necessary permission from The Commissioner of Police and other concerned department shall be obtained before commencement of programme.
13. Owner/Occupier must appoint Fire Marshal / Fire warden /fire safety officer for every 100 persons from amongst his employees who is acquainted with evacuation procedure and trained to use fire fighting equipments provided on the site . He should have designated uniform such as fluorescent jacket / Arn band, cap & badge easily identifiable by citizen/users. He should also possess a whistle to alert customers/guest in case of emergency. Owner/Occupier must ensure that Fire Marshal / Fire warden /fire safety officer is present all the time during working hours.
14. In case of emergency, Fire Brigade shall be summoned on Tel.No.101, 23076111, 23085991-2-3-4.
15. Two dry chemical powder type extinguishers each of 09 kgs. capacity and Two Foam type extinguishers each of 09 ltrs. capacity having BIS certification and four buckets filled with dry clean sand shall be kept on the Blasting premises.



16. Four drums of 200 litres capacity filled with clean water shall be kept on the premises at easily accessible place.

17. **One Fire engine along with requisite staff** shall be kept for standby duty well in advance after payment of necessary scheduled Fees.

**Note:-**

- (i) These remarks are offered from fire risk point of view only, without prejudice to legal matters pending in the court of law, if any, and is valid subject to necessary permissions/clearances are obtained from The Commissioner of Police & other concerned Authorities, as per rules applicable.
- (ii) MCGM/Fire Brigade dept. reserves the right to change/alter/add/delete the terms and condition of these fire safety remarks as per the situation permits.
- (iii) These remarks are offered in the fire risk point of view only and necessary permission/clearance and other permission/rules applicable shall be obtained from other concerned departments/authority to make the activity legalized and regularized.
- (iv) The self certified declaration on Rs.500/- stamp paper about compliance of fire safety measures shall be submitted by applicant/ user/ occupier.

**MUNICIPAL CORPORATION OF GREATER MUMBAI  
MUMBAI FIRE BRIGADE**

Sr. No.	Requirement for Fire Engine while shooting is proposed
01	If the area of the temporary constructions is 500 sq. mtrs. to 1000 sq. mtrs. and/or the number of persons/visitors/spectators is more than 1000 persons and less than 2500 persons then <b>One Fire engine along with requisite staff</b> shall be kept for standby duty.
02	If the area of the temporary constructions is more than 1001 sq. mtrs. and/or the number of persons/visitors/spectators is more than 2500 persons then <b>Two Fire engines along with requisite staff</b> shall be kept for standby duty.
03	If any Helipad shooting is proposed then <b>One Fire engine along with requisite staff</b> shall be kept for standby duty.
04	If any Blasting activity shooting is proposed then <b>One Fire engine along with requisite staff</b> shall be kept for standby duty.

**MUNICIPAL CORPORATION OF GREATER MUMBAI  
MUMBAI FIRE BRIGADE**

As per Brigade Routine Circular-6 dated 4.4.2019, the Revised Schedule of fees in respect of hiring of Fire Engines & Ambulance etc. for the period 01<sup>st</sup> April 2019 to 31<sup>st</sup> March 2020 are as follows:

Sr. No.	Description	Rate (From 01.04.19 to 31.03.20)
1	For hiring of Fire Engine / Foam Tender Tanker for standby duty (Cost of repair additional)	<p><b>Fee:</b> Rs. 15,200/- for the first 3 hrs. Or part thereof and Rs. 5,880/- for each additional hour or fraction thereof (Inclusive of charges for the attendance of the staff).</p> <p><b>Deposit:</b> Deposit Nil as per MCGM Circular under no. BDD/204 dt. 02.11.2015</p>
2	For hiring of Fire Engine / Foam Tender for film shooting and any other commercial purpose (Cost of repairing additional)	<p><b>Fee:</b> Rs. 64,920/- for first 3 hours or part thereof and Rs. 19,500/- for each additional hours Or fraction thereof. (Inclusive of charges for the attendance of the staff)</p> <p><b>Deposit:</b> Rs. 1,53,300/- for first 6 hours or part thereof and Rs. 47,190/- for each additional hours or fraction thereof.</p>

**NOTE :**

01. The schedule of Fees is to be revised every financial year as per circular No. CA/FRM/7 dated 03.05.2011 of CA Finance Department.
02. Additional one hour (Garage to Garage) charges are incorporated in the system.

**MUNICIPAL CORPORATION OF GREATER MUMBAI**  
**MUMBAI FIRE BRIGADE**

As per Brigade Routine Circular-6 dated 4.4.2019, the Revised Schedule of fees in respect of hiring of Fire Engines & Ambulance etc. for the period 01<sup>st</sup> April 2019 to 31<sup>st</sup> March 2020 with account details are as follows:

Sr. No.	Description	Rate (From 01.04.19 to 31.03.20)	ACCOUNT DETAILS
1	For hiring of Fire Engine / Foam Tender Tanker for standby duty (Cost of repair additional)	<p><b>Fee:</b></p> <p><b>01. For Fire Engine</b> Rs. 10,640/- for the first 3 hrs. Or part thereof and Rs. 3,600/- for each additional hour or fraction thereof (Exclusive of charges for the attendance of the staff)</p> <p><b>02. For attendance of the Staff</b> Rs. 4,560/- for the first 3 hrs. Or part thereof and Rs. 2,280/- for each additional hour or fraction thereof</p> <p><b>Deposit:</b> Deposit Nil as per MCGM Circular under no. BDD/204 dt. 02.11.2015</p>	<p>Functionary Code : 553000000000</p> <p>Department Code : 38</p> <p>Fund Code : 11</p> <p>G. L. Code : 150410201 (Vehicle Charge)</p> <p>G. L. Code : 140709905 (Staff Charge)</p> <p><b>Cost Centre Code :</b></p> <p>R-1 : 3001380000</p> <p>R-2 : 3002380000</p> <p>R-3 : 3003380000</p> <p>R-4 : 3004380000</p> <p>R-5 : 3005380000</p> <p>R-6 : 3006380000</p>

Sr. No.	Description	Rate (From 01.04.19 to 31.03.20)	ACCOUNT DETAILS
2	For hiring of Fire Engine / Foam Tender for film shooting and any other commercial purpose (Cost of repairing additional)	<p><b>Fee:</b></p> <p><b>01. For Fire Engine</b> Rs. 64,920/- for the first 3 hrs. Or part thereof and Rs. 19,500/- for each additional hour or fraction thereof (Exclusive of charges for the attendance of the staff)</p> <p><b>02. For attendance of the Staff</b> Rs. 3,580/- for the first 3 hrs. Or part thereof and Rs. 1,790/- for each additional hour or fraction thereof</p> <p><b>Deposit:</b> Rs. 1,53,300/- for first 6 hours or part thereof and Rs. 47,190/- for each additional hours or fraction thereof.</p>	<p>Functionary Code : 5530000000000</p> <p>Department Code : 38</p> <p>Fund Code : 11</p> <p>G. L. Code : 150410200 (Vehicle Charge)</p> <p>Taxable:- (HSN:- 997212 CGST: 9% &amp; SGST: 9%)</p> <p>G. L. Code : 140810026 (Staff Charge)</p> <p><b>Cost Centre Code :</b></p> <p>R-1 : 3001380000</p> <p>R-2 : 3002380000</p> <p>R-3 : 3003380000</p> <p>R-4 : 3004380000</p> <p>R-5 : 3005380000</p> <p>R-6 : 3006380000</p>

**Ward Distribution**

R-1 : A, B, C, D, E

R-2 : F/S, F/N, G/S, G/N

R-3 : H/E, HW, KE, KW

R-4 : P/S, P/N, R/S, R/C, R/N

R-5 : M/E, MM, L

R-6 : N, S, T

**Undertaking Cum Indemnity Bond (On Stamp Paper of Rs. 500/-)**

I /We -----, aged about \_\_\_ years, an Indian inhabitant, the owner/ proprietor, partner, director, authorized signatory of the firm/ company M/s. ----- having his/ her/ its address/ office address at ----- do hereby state on Solemn affirmation as under:

- (1) I /We say that I/ We have applied to the Film shooting permission vide application No. \_\_\_\_\_ dated ----- at the address ----- (Hereinafter referred to as "the said premises")
- (2) I/ We hereby undertake that the said premises is having area admeasuring ----- and I/ We have carried out the compliance of stipulated codified Fire Safety Requirements for the said shooting activity by the Chief Fire Officer in the said premises.
- (3) I/ We hereby undertake that I/ We have complied with the specified terms and conditions of codified Fire Safety Requirements in the said premises.
- (4) I/ We am/ are aware that the said permission is not transferable.
- (5) I/ We undertake that we will not carry out any other activity except the permissible activity allowed in the said License.
- (6) I/ We undertake that MCGM shall have all rights to terminate/ cancel and/ or revoke the said permission without any Notice/ Intimation if compliance of codified Fire Safety Requirements not maintained properly, if any untoward incident takes place in the said premises including causality involving loss of property and/ or human lives due to my/ our activity.
- (7) I/ We say and undertake that I/ We are aware of the terms and conditions of the said stipulated codified Fire Safety Requirements for carrying on the shooting and the same are binding on me/ us.
- (8) I/ We say and undertake that I/ We am/ are aware of the provisions of The Maharashtra Fire Prevention and Life Safety Measures Act, 2006 and the same shall be binding on me/ us.
- (9) I/ We say and undertake that I / we have obtained Test Certificate regarding Electric Audit for electrical fittings/ fixtures installed in the said premises are as per Electricity Act & Rules from Govt. approved electrical Inspector.
- (10) I/ We say and undertake that I / we have obtained Fire retardant paint certificate from Licensed Agency.
- (11) I/ We say and undertake that as per the provisions of Section 3(3) of The Maharashtra Fire Prevention and Life Safety Measures Act, 2006 and Rule 4(1)/ Rule 1(2) of the Maharashtra Fire Prevention and Life Safety Measures Rules, 2009, Form-A and/ or Form-B, Certificate (as applicable) from authorized Licensed agency regarding Fire-Fighting and Fire- Protection system/ equipment, is installed on the said premises.

- (14) I/ We say that I/ We shall abide by the terms and conditions formulated by the MCGM from time to time.
- (15) I/ We am/ are aware and accept that MCGM has all rights to terminate/ cancel the permission as per compliance of codified Fire Safety Requirements of Fire Department, without any Notice/ Intimation in the event of submissions of wrong and/ or incorrect information and/ or otherwise. The decision of the MCGM in this regards shall be final and binding on me/ us.
- (16) I/ We hereby Indemnify the MCGM from and against all actions, acts, costs, claims, damages, demands of any nature and kind whatsoever, which may be instituted, claimed or made against the MCGM its officers, servants and agents and the Municipal Commissioner for MCGM by any person or persons, any third party or legal entity by reasons of the MCGM having granted to me/ us the said permission.
- (17) I/ We are aware and accept that I/ We shall be liable to civil as well as criminal prosecution in the event, information submitted by me/ us are found to be false and/ or incorrect and permission fee/ deposit amount paid by me/ us shall be forfeited.
- (18) I/ We say and undertake that the undertaking is binding on me/ us/ my/ our/ its legal heirs/ representatives/ partners/ directors who are responsible for the acts done by the company / firm/ owner from time to time.
- (19) I/ We are submitting copy of the Aadhar Card and/ or Pan Card towards my/ our Identification.

#### VERIFICATION

I/ We ----- state on solemn affirmation that whatever stated herein above is true to my/ our own knowledge and I/ We believe the same to be true and correct.

**Notary**

**DEPONENT**

Notary Registration No.

Photograph

**Note:** In case of Applicant being Company, copy of Resolution passed by the company authorizing one of the director to sign on behalf of the company shall be insisted upon.